
Tyres

TRELLEBORG

T422 is a tire with extra pull force and best possible self-cleaning. With advantage be used without track and chains.

- Extra pull force and brilliant accessibility, due to the aggressive tread pattern
- The open tread pattern gives the best possible self-cleaning
- Can be used with tracks and chains



- Excellent pull force in tough terrain
- The open pattern and the lug design allows good self-cleaning
- The enhanced shoulder of the tire ensures an unbeatable stability and comfort
- A large contact area gives the tire a low ground bearing pressure
- · Excellent contact area for tracks and chains



TRELLEBORG TWIN FORESTRY 422SB		
Description	No.	
600/55-26.5 20 PR	0077470	
710/45-26.5 20 PR	0076979	
600/65-34	0056849	
710/55-34	0056796	



TRELLEBORG 428 TWIN FORESTRY 428SB		
Description	No.	
710/40-22.5	0063585	
600/55-26.5 20 PR	0077473	
710/45-26,5 18 PR	0061721	
710/45-26,5 20 PR	0076980	
710/45-26.5 24 PR	0076981	
750/50-26.5 24 PR	0077027	



NOKIAN

Nokian Tyres is a pioneer in forestry machinery tyres. Nokian Tyres has decades of experience in manufacturing and designing forestry tyres in close co-operation with forestry machinery manufacturers.

FOREST KING

A stable forestry tyre with sturdy sides especially designed for forwarders. Excellent fit with tracks.


RIDER


Radial tyre for CTL forestry machines. Excellent traction without tracks, comfortable on a hard surface. Straight sides and a patented side protection.



NOKIAN FOREST KING F	
Description	No.
710/40-22.5 PR16	0063163
710/45-26.5 PR16	0063014
710/45-26.5 PR20	0061852
750/55-26.5 PR20	0062460








U-Grip

Superior quality chain







NOKIAN RIDER	
Description	No.
650/45R24.5	0067220
600/55/26.5	0066979
710/45/26.5	0064976
800/50R26.5	0070461
600/65R34	0068393
710/55R34	0068394



NOKIAN NORDMAN FOREST F	
Description	No.
710/45-26.5 20PR	0075120



TIANLI	
Description	No.
700/50-26.5 20PR	0072434

ALLIANCE	
Description	No.
710/45-26,5 20PR, ELS	0075549
710/45-26,5 20PR, TRS	0075552



The valve cap is replaced by the pressure guard. When installed for the first time, the pressure guard is calibrated according to the tyre pressure. If the tyre pressure decreases too much, the pressure guard starts to blink. The package contains four pressure guards, including four transparent valve caps.



TYRE PRESSURE GUARD WITH CABIF	N DISPLAY
Description	No.
Tyre pressure guard for 6w forest machines	0072864
Tyre pressure guard for 8w forest machines	0072865
Tyre pressure guard for 10w forest machines	0072866